

Product Catalogue

For 100% Australian
made beautiful fencing
that lasts a lifetime.



thinkfencing
The thoroughbred of fences

Hello,

If you're a weekend DIY warrior, a fencing contractor or horse lover, I am sure you will find what we stand for and what we create very interesting. I have dedicated a good portion of my life to creating what Think Fencing is today, and am most proud of our team who have built our extensive range of modern sustainable fencing products.

Think Fencing is a team of passionate people dedicated to helping you create the perfect fence. We are engineers, designers, helpers and makers who are passionate about what we stand for.

Making fences better through excellent customer service, sustainable intelligent design, high tech Aussie manufacturing and most importantly passion.

Over the past decade Think Fencing has made a significant impact on the Australian market. This is due to listening to our customers and creating solutions to often overlooked aspects of traditional fencing. We don't just create fences, we solve problems, we make statements and we help you create what you want.

We have made it one of our missions to reduce our carbon footprint. This is done by utilizing best practice manufacturing techniques, installation of a recycling plant on site and a 100kw solar power system. Think Fencing is the only Fencing company in Australia to have achieved the accreditation of Best Environmental Practice PVC.

We are constantly improving efficiency and sourcing environmentally sustainable materials for use in our products.

We export to several countries and are continuing to evolve within the fencing market. Ultimately this evolution is guided by you. Our customers. We continue to listen to what you ask for and develop products around what you want, rather than what we think you want.

Every fence design is exclusively tested and proven; every piece of fencing carries our quality guarantee. Every one of our fencing products are made and proven in Australia.

We're proud of that!

Happy Fencing.

Jack Fitzgerald
Founder and CEO

Timberline x3 Rail
Colour: Night Mist



Think Circle

Think end to end.




Sales

Our team will work with you to create a solution that suits your specific needs. From style, colour, height, gates, including any specific customised requirements.



Extrusion

All of our PVC fencing profiles are extruded to our industry leading standards, meaning we have ultimate control over quality and inventory.



Design

Once your order goes into production, our engineers will turn your fence into a set of parts that seamlessly fit together during installation. Think Flat Pack!



Fabrication

Our technicians will turn your design into a set of programmes that our computer controlled machinery can read to build your fence out of our extruded profiles.



Packaging

We dispatch Australia wide, so packaging is very important to make sure that your new fence arrives without damage. Every pack is different.



Technical support

Our dedicated design and engineering team is only a phone call away, ready to answer any questions you may have during installation.



Recycling

We have been recycling our own PVC scrap and using it in our product for years.

We are collaborating with the CSIRO as the leading industry partner to develop world first recycling technology, enabling us to recycle scrap PVC that was destined for landfill.



Think Commercial

Think collaboratively.



Race Clubs

Our Thoroughbred race club systems are designed to be resilient and tough in the most demanding conditions. Tough mounting yards, beautiful parade rings and versatile crowd fencing.



Sporting Grounds

For over a decade Think Fencing has been helping regional and metropolitan sporting grounds with their fencing needs. Our sporting ground fencing systems are engineered to withstand the demanding conditions of training sessions and game day.




Housing Estates

Think Fencing can provide the ideal fencing solution for new and existing estates looking to create a clean consistent look. Enhancing street appeal and improving perceived land values.



Simtrack

Think Fencing has collaborated with Simtrack to design and produce the safest race horse running rail system. The Simtrack Running rail system is used and recommended by the world's most prestigious tracks.



Showpanel

Showpanel is an innovative temporary fencing panel, Think Fencing manufactures all of the PVC components for Showpanel using profiles from its residential range.



Design Flow

Design Flow approached Think Fencing in 2016 to develop a recycled Garden Edging product using technology borrowed from its woodgrain range of fencing systems to create a timber look plastic flexible edging system.



Nexans Olex

Think Fencing has a large range of state of the art Injection moulding machines, Olex approached Think Fencing in 2017 to assist with moulding various Plastic components for use on their High Voltage transformers. Being high voltage the tolerances are very tight.



EcoDuct

Think Fencing has helped EcoDuct design and manufacture an innovative low rise ventilation ducting system used in Commercial multi story buildings. It's lightweight construction and innovative design is also Fire rated to the standard of AS/NS 1530.3.





Think Decking

Think Fencing has been working tirelessly to produce Australia's first 100% recycled PVC Decking system.

Think Fencing at a glance.

It just keeps evolving.





Residential Fencing

- Picket Fencing
- Horizontal Slat Fencing
- Privacy Fencing
- Plinth Rail

Contents

Residential Fencing	9
Picket Fencing	10
Bellbrae Screening	16
Mystique Panel Fencing	18
Plinth Rail	22
Rural Fencing	25
Post & Rail	26
Gates	31
Gate Specifications	32
Horse Fencing	37
Zappa Rail	38
Equirail	42

PVC Picket Fencing

Made easy.

Beautiful. Simple. Practical. This is the future of picket fencing.

Picket fencing redesigned

At Think Fencing we can help you create a pvc picket fence which is right for your home. Not only do we take great pride in the quality of our workmanship, all of our picket fences carry our industry leading warranty. Therefore with almost 20 years in the fencing industry we guarantee our fencing systems will surpass your expectations.


All of Think Fencing's picket fence posts are set 600mm into the ground ensuring rigidity and strength. All of our fences are made from durable high tech composites. Consequently our picket fences retain their good looks year in year out without the need to paint.

Our picket fence posts, top rails and plinth boards are slotted, thus enabling the rails and pickets to be connected to each other by sliding into the slots. In other words this creates a fence that looks fantastic from either side and is very easy to install.


Picket fence styles

Whether the style of your home is a traditional Edwardian, Federation, Victorian, Californian Bungalow or an ultra Modern design we have the perfect picket fence that is in keeping with the style and period of your home. We offer a wide range of picket fencing styles, colours and sizes.


Picket Fencing to suit your style




Jabiru Picket Fence




Kestrel Picket Fence




Kookaburra Picket Fence



Toucan Picket Fence



Wren Picket Fence



Rosella Picket Fence

Picket Fence Features



DIY Installation



Eco Friendly



Australian Made



Limited Lifetime Warranty



Never Paint Again



Graffiti Resistant

Picket Fence Colour Range



White



Cream



Beech



Beige



Night Mist



Grey Ridge



Winter Green



Red Oak



Delux



Woodgrain Pine



Red Gum


Standard Sizing

Width
2390mm
Height
900mm
1200mm
1400mm
1600mm
1800mm
Custom widths and heights available


PVC Picket Fencing

Specifications

Jabiru



Up to 1.5m above ground




Above 1.5m requires a mid rail


- Dimensions:**
- Price based on 2.39m panel centres.
 - Panel height measured from ground level to top of post (excluding cap).
 - One post and post cap included with each panel.
 - Additional post required at the end of each fence run or where gate is required.
 - Picket Height: Level with post height (including cap).
 - Top Rail Height: 173mm below post (including cap).
 - 50mm gap between ground and bottom of plinth rail.
 - Colour panels have a steel insert in top rail.
 - Custom designs, heights and colours available on request.

- Each panel includes:**
- 1 x Post and Post Cap (127mm x 127mm).
 - 1 x Plinth Rail (150mm x 50mm).
 - 1 x Steel Insert for Plinth Rail.
 - 1 x Top Rail (88mm x 51mm).
 - 1 x Steel Insert for Top Rail - Colours only.
 - 18 x Pickets and Picket Caps (76mm x 22mm) at 45mm spacing.
 - Panel height above 1.5m include a 88mm x 51mm mid rail.

Kestrel



Up to 1.8m above ground




Above 1.8m requires a mid rail


- Dimensions:**
- Price based on 2.39m panels.
 - Panel height measured from ground level to top of post (excluding cap).
 - One post and post cap included with each panel.
 - Additional post required at the end of each fence run or where gate is required.
 - Highest Picket Height: Level with post height (including cap).
 - Lowest Picket Height: 153mm below post height (including cap).
 - Picket Step Down: 51mm each step.
 - Top Rail Height: 323mm below post for fences up to 1.5m above ground.
 - Top Rail Height: 423mm below post for fences taller than 1.5m above ground.
 - 50mm gap between ground and bottom of plinth rail.
 - Colour panels have a steel insert in top rail.
 - Custom designs, heights and colours available on request.

- Each panel includes:**
- 1 x Post and Post Cap (127mm x 127mm).
 - 1 x Plinth Rail (150mm x 50mm).
 - 1 x Steel Insert for Plinth Rail.
 - 1 x Top Rail (88mm x 51mm).
 - 1 x Steel Insert for Top Rail - Colours only.
 - 18 x Pickets and Picket Caps (76mm x 22mm) at 45mm spacing.
 - Panel height above 1.8m include a 88mm x 51mm mid rail.

Kookaburra



Up to 1.8m above ground




Above 1.8m requires a mid rail


- Dimensions:**
- Price based on 2.39m panels.
 - Panel height measured from ground level to top of post (excluding cap).
 - One post and post cap included with each panel.
 - Additional post required at the end of each fence run or where gate is required.
 - Highest Picket Height: Level with post height (including cap).
 - Lowest Picket Height: 198mm below post height (including cap).
 - Picket Step Down: Various.
 - Top Rail Height: 323mm below post for fences up to 1.5m above ground.
 - Top Rail Height: 423mm below post for fences taller than 1.5m above ground.
 - 50mm gap between ground and bottom of plinth rail.
 - Colour panels have a steel insert in top rail.
 - Custom designs, heights and colours available on request.

- Each panel includes:**
- 1 x Post and Post Cap (127mm x 127mm).
 - 1 x Plinth Rail (150mm x 50mm).
 - 1 x Steel Insert for Plinth Rail.
 - 1 x Top Rail (88mm x 51mm).
 - 1 x Steel Insert for Top Rail - Colours only.
 - 18 x Pickets and Picket Caps (76mm x 22mm) at 45mm spacing.
 - Panel height above 1.8m include a 88mm x 51mm mid rail.

Toucan



Up to 1.5m above ground



Above 1.5m requires a mid rail


- Dimensions:**
- Price based on 2.39m panels.
 - Panel height measured from ground level to top of post (excluding cap).
 - One post and post cap included with each panel.
 - Additional post required at the end of each fence run or where gate is required.
 - Highest Picket Height: 355mm above post height (including cap).
 - Lowest Picket Height: Level with post height (including cap).
 - Picket Step Down: Various.
 - Top Rail Height: 173mm below post (including cap).
 - 50mm gap between ground and bottom of plinth rail.
 - Colour panels have a steel insert in top rail.
 - Custom designs, heights and colours available on request.

- Each panel includes:**
- 1 x Post and Post Cap (127mm x 127mm).
 - 1 x Plinth Rail (150mm x 50mm).
 - 1 x Steel Insert for Plinth Rail.
 - 1 x Top Rail (88mm x 51mm).
 - 1 x Steel Insert for Top Rail - Colours only.
 - 18 x Pickets and Picket Caps (76mm x 22mm) at 45mm spacing.
 - Panel height above 1.5m include a 88mm x 51mm mid rail.


PVC Picket Fencing

Specifications

Wren



Up to 1.4m above ground




Above 1.4m requires a mid rail


- Dimensions:**
- Price based on 2.39m panels.
 - Panel height measured from ground level to top of post (excluding cap).
 - One post and post cap included with each panel.
 - Additional post required at the end of each fence run or where gate is required.
 - Top Rail Height: 73mm below post (including cap).
 - 50mm gap between ground and bottom of plinth rail.
 - Panels have a steel insert in top rail.
 - Custom designs, heights and colours available on request.

- Each panel includes:**
- 1 x Post and Post Cap (127mm x 127mm).
 - 1 x Plinth Rail (150mm x 50mm).
 - 1 x Steel Insert for Plinth Rail.
 - 1 x Top Rail (88mm x 51mm).
 - 1 x Steel Insert for Top Rail - Colours only.
 - 18 x Pickets (76mm x 22mm) at 45mm spacing.
 - Panel height above 1.4m include a 88mm x 51mm mid rail.

Rosella



Up to 1.8m above ground



Above 1.8m requires a mid rail

- Dimensions:**
- Price based on 2.39m panels.
 - Panel height measured from ground level to top of post (excluding cap).
 - One post and post cap included with each panel.
 - Additional post required at the end of each fence run or where gate is required.
 - Top Rail Height: 73mm below post (including cap).
 - Distance between Top and Mid Rail: 122mm for fences 1.4m above ground.
 - Distance between Top and Mid Rail: 222mm for fences taller than 1.5m above ground.
 - 50mm gap between ground and bottom of plinth rail.
 - Panels have a steel insert in top rail.
 - Custom designs, heights and colours available on request.

- Each panel includes:**
- 1 x Post and Post Cap (127mm x 127mm).
 - 1 x Plinth Rail (150mm x 50mm).
 - 1 x Steel Insert for Plinth Rail.
 - 2 x Top Rail (88mm x 51mm).
 - 1 x Steel Insert for Top Rail - Colours only.
 - 18 x Pickets (76mm x 22mm) at 45mm spacing.
 - 3 x 200mm Pickets for fence up to 1.4m above ground - 509mm picket spacing.
 - 3 x 300mm Pickets for fence taller than 1.4m above ground - 509mm picket spacing.
 - Panel height above 1.8m include an additional 88mm x 51mm mid rail.

PVC Picket Fencing

Customer Reviews




 ★★★★★ Chloe

“We LOVE our white picket fence and mystique gate we recently purchased and installed from think fencing.”

The product is great quality and looks amazing, we have gotten so many comments and questions from people walking by.

Jessica and Ben provided excellent and professional customer service and communication, and were so accommodating to all out requests and questions. We were happy to be able to install this ourselves having never done fencing before. Definitely recommend this great Australian product and company.



 ★★★★★ Rell

“My Little Blue House, now has a new PVC white picket fence!”

Thanks so, so much to Jess, Ben and team at Think Fencing for the meticulous custom engineering, and fantastic customer service- Even after hours!

It was such a relief to know all my questions were answered and my perfectionist nature was put at ease with constant support, explanations and understanding from the highly professional and knowledgeable staff at Think Fencing!

I am stoked to support a TOTALLY Australian made and manufactured product, and also a local Surfcoast/Bellarine business, that is also Eco friendly- which is very important to me!

I absolutely LOVE my little picket fence- it has made my little blue beach house, into a home! THANKYOU!!

For more reviews visit facebook.com/thinkfencing



Bellbrae Screening

Made easy.

The perfect horizontal slatted privacy screen.

Bellbrae Fencing gets its name from “Bellbrae” the small coastal town in Southern Victoria, windswept beaches, rolling sand dunes and idealistic coastal homes.


Modern, clean and open. Bellbrae PVC screening is a horizontal slatted semi privacy screening system that can be configured in a range of heights, colours or styles.

For example, Bellbrae Screening is perfect for boundary fences, patios, screening, carports or just to hide cluttered corners. The slat style allows breezes and a natural light flow, while increasing your household privacy.

Bellbrae screening can also be attached to brick or concrete piers using our specially designed pollock channel.

It’s available in a range of heights from 0.9m high, up to 1.8m high. The horizontal slats are made using our 76x22mm pickets slotted into the posts. The recommended span post centre to post centre is 2390mm with a support strut mounted in the centre of the panel.

Bellbrae Screening to suit your style



Dimensions:

- Price based on 2.39m panels.
- Panel height measured from ground level to top of post (excluding cap).
- One post and post cap included with each panel.
- Additional post required at the end of each fence run or where gate is required.
- Top Rail Height: 73mm below post (including cap).
- 50mm gap between ground and bottom of plinth rail.
- Colour panels have a steel insert in top rail.
- Custom designs, heights and colours available on request.

Each panel includes:

- 1 x Post and Post Cap (127mm x 127mm).
- 1 x Plinth Rail (150mm x 50mm).
- 1 x Steel Insert for Plinth Rail.
- 1 x Top Rail (88mm x 51mm).
- 1 x Steel Insert for Top Rail - Colours only.
- Pickets (76mm x 22mm) at 19mm spacing. Quantity varies based on fence height:
 - 0.9m: 6 horizontal pickets
 - 1.2m: 9 horizontal pickets
 - 1.4m: 11 horizontal pickets
 - 1.6m: 13 horizontal pickets
 - 1.8m: 15 horizontal pickets
- Rear Brace (76mm x 22mm).
- Tek screws to fix Rear Brace.

Bellbrae Screening Colour Range

 White	 Cream	 Beech	 Beige
 Night Mist	 Grey Ridge	 Winter Green	 Red Oak
 Delux	 Woodgrain Pine	 Red Gum	

Standard Sizing

Width
2390mm
Height
900mm
1200mm
1400mm
1600mm
1800mm
Custom widths and heights available

Bellbrae Screening Features



DIY Installation



Eco Friendly



Australian Made



Limited Lifetime Warranty



Never Paint Again



Graffiti Resistant

Mystique Panel Fencing

Made easy.

When you need privacy & comfort, Think Mystique.

Innovation

With the natural look of timber, or a variety of solid colours, Mystique PVC fencing provides privacy in a garden setting and an effective barrier from unwanted traffic & neighbour noise.

The versatility of Think Fencing products means that our fences have been proven to withstand the coldest parts of Tasmania to the wild and varying conditions of the Tropics of Far North Queensland, and everywhere in between.

Mystique panel has been designed to provide clean, uncluttered looks combined with brilliant functionality.

Intelligent Design

We created special angular panels that clip together, with an air void in between the panel walls to reduce sound penetration. Independent testing proved that Mystique Panelling can significantly reduce the level of sound transferring through your fence. Consequently making it ideal for a fence along a noisy road or to separate noisy neighbours.

Durability

The colours we use on our fencing products are not just a coating, they are a specific layer of Mechanically and Chemically bonded polymer that has been incorporated into the profile during manufacture. The result is colour that lasts a lifetime.


Creating an effective, good-looking privacy screen is easy

Our screens faithfully replicate traditional tongue and groove style fencing and can be made to suit your tastes of style, colour and size. They are safe, practical, and flame retardant – will not sustain combustion and are self extinguishing.


Eco Friendly

They are long lasting – will not rot, corrode, peel, and are impervious to termites and attack from organic matter. They are enviro-friendly containing no heavy metal carcinogens or harmful chemicals.

Mystique Privacy to suit your style



Mystique Solid



Mystique with Lattice

Mystique Privacy Colour Range

White	Cream	Beech	Beige
Night Mist	Grey Ridge	Winter Green	Red Oak
Delux	Woodgrain Pine	Red Gum	

Standard Sizing

Width
2390mm
Height
1200mm
1400mm
1600mm
1800mm
2000mm
2100mm

Custom widths and heights available

Mystique Privacy Features

DIY Installation

Eco Friendly

Australian Made


Limited Lifetime Warranty

Never Paint Again


Graffiti Resistant

Noise Reducer

Mystique Solid




Up to 2.0m above ground



Above 2.0m requires a mid-rail

- Dimensions:**
- Price based on 2.39m panels.
 - Panel height measured from ground to top of post (excluding cap).
 - One post and post cap included with each panel.
 - Additional post required at the end of each fence run or where a gate is required.
 - Top Rail Height: 73mm below post (including cap).
 - 50mm gap between ground and bottom of plinth rail.
 - Colour panels have a steel insert in top rail.
 - Custom designs, heights and colours available on request.
- Each panel includes:**
- 1 x Post and Post Cap (127mm x 127mm).
 - 1 x Plinth Rail (150mm x 50mm).
 - 1 x Steel Insert for Plinth Rail.
 - 1 x Top Rail (88mm x 51mm).
 - 1 x Steel Insert for Top Rail - colour only.
 - 10 x Mystique Panelling (220mm x 22mm).
 - 2 x Top and Bottom Pollock Channel at 2290mm.
 - 2 x Side Pollock Channel, 420mm less than post height (excluding cap).
 - 25mm Tek Screws to connect Pollock Channel to Top and Bottom Rails.
 - 65mm Tek Screws to connect Rails to Posts.
 - Panel height above 2.0m include a 88mm x 51mm mid rail with steel insert.

Mystique Panel Fence with Lattice



- Dimensions:**
- Price based on 2.39m panels.
 - Panel height measured from ground to top of post (excluding cap).
 - One post and post cap included with each panel.
 - Additional post required at the end of each fence run or where gate is required.
 - Top Rail Height: 73mm below post (including cap).
 - 50mm gap between ground and bottom of plinth rail.
 - Colour panels have a steel insert in top rail.
 - Custom designs, heights and colours available on request.
- Lattice Section:**
- 323mm High - Top of Rail (excluding cap) to top of Mid Rail.
 - 17 pickets at a 45mm spacing.
 - Included within the height of the fence - not on top.
 - Example: 1.8m high fence will be solid to 1.5m and Lattice 1.5-1.8m.
 - 76mm x 22mm Picket available in White and Colour.
 - 38mm x 38mm Picket available in White only.
- Each panel includes:**
- 1 x Post and Post Cap (127mm x 127mm).
 - 1 x Plinth Rail (150mm x 50mm).
 - 1 x Steel Insert for Plinth Rail.
 - 1 x Top Rail (88mm x 51mm).
 - 1 x Steel Insert for Top Rail - colour only.
 - 1 x Mid Rail (88mm x 51mm).
 - 10 x Mystique Panelling (220mm x 22mm).
 - 2 x Top and Bottom Pollock Channel at 2290mm.
 - 2 x Side Pollock Channel, 670mm less than post height (excluding cap).
 - 25mm Tek Screws to connect Pollock Channel to Top and Bottom Rails.
 - 65mm Tek Screws to connect Rails to Posts.


Mystique Panel Fencing
Customer Reviews



 ★★★★★ Sue
“Would recommend highly.”

Our Mystique fence is wonderful, and attracts lots of compliments from passers by, as well as neighbours, friends and tradies. The customer service from Jessica and the team in the factory was great, from first inquiry to post-delivery. Very happy that it’s made in Australia.



 ★★★★★ Rasa
“When we got it installed it looked fantastic and six years later in 2020 it looks just as good.”

In 2014 we decided to renovate our backyard, which included replacing an old rotten boundary timber fence. When we contacted Think Fencing they were very helpful and went the extra mile in designing a privacy fence with lattice top. We love the timber look of the panels and more than one visitor has done a double-take over the years when they realise it is not real wood. We love our PCV fence and wouldn’t hesitate to recommend Think Fencing.

For more reviews visit facebook.com/thinkfencing

Plinth Rail

Made easy.

Our plinth rail is made from a tough ribbed PVC profile. Designed to close the gap between the bottom rail and the ground below your fence. Most steel fencing’s warranty is void due to corrosion if the bottom steel rail is sitting on soil or has soil built up against it. For decades fencing contractors have used timber to fill this gap.

Timber is OK for a stop gap solution however after time the timber rots and warps. Anyone with a timber plinth rail on a steel fence that is over 3 years old will know what we mean.

The PVC plinth will not rot, it will not warp and it does not void a Lysaght steel fence warranty.

Australian Patent Number 2013100109

Available in a range of colours to match your steel fence.

If you plan to install two or more plinth rails high we recommend installing a steel reinforcement. Which can be concealed inside the plinth.

Plinth Rail Features



DIY Installation



Eco Friendly



Australian Made



Limited Lifetime Warranty



Never Paint Again



Graffiti Resistant

Plinth Rail Colour Range



White



Cream



Beech



Beige



Night Mist



Grey Ridge



Winter Green



Red Oak



Delux



Woodgrain Pine



Red Gum

Standard Sizing

Width
2340mm
3090mm
Height
150mm
Depth
50mm

- Packs:**
- 2340mm need to be purchased in packs of 6
 - 3090mm lengths can be purchased individually

Description	Length (m)
White Plinth Rail - 150mm x 50mm	2.340m
White Plinth Rail - 150mm x 50mm	3.090m
Colour Plinth Rail - 150mm x 50mm	2.340m
Colour Plinth Rail - 150mm x 50mm	3.090m

Rural Fencing

- Post & Rail:
 - True Blue Fencing System
 - Timberline Fencing System - White
 - Timberline Fencing System - Colour
 - Timberline Crossbuck
 - Timberline Mesh

Post & Rail

Shh...Don't tell anyone it's plastic.

The Natural Beauty of Wood. The Durability of Plastic.

Timberline is the post and rail for the 21st century. Created from non-toxic vinyl, Timberline combines the visual beauty of freshly painted timber with the strength and resilience of highly advanced extrusion technologies. Timberline is also the perfect solution for horse safe fencing that looks the part whilst providing paramount safety to your horse.

The Technical Stuff

Our coloured Timberline fencing system has an outer layer containing a higher concentration of UV inhibitors and pigments that colour and protect the plastic from harmful UV rays. This enables us to add extra impact modifiers throughout the inner layers that give Timberline many important advantages over ordinary plastic fencing systems.

It never needs painting, it will never rot, and it is impervious to termites and woodborers.

We have created a range of natural wood-like colours and textures inspired by the Australian outback.


They look great, and are also 100% recyclable.

Think Beauty and Durability


PVC Post and Rail fencing is one of the most iconic styles of fencing in Australia synonymous with country life, cattle and horses.

Think Fencing boasts Australia's Largest range of colours and styles including the highly popular Woodgrain and Night Mist options.


Post & Rail Fencing to suit your style




Post & Rail x1




Post & Rail x2




Post & Rail x3



Post & Rail x4



Post & Rail Crossbuck



Post & Rail Mesh Panel

Post & Rail Colour Range




Standard Sizing

Width
2400mm
Height
1400mm
Custom widths and heights available


Post & Rail Features




Post & Rail Specifications




Post & Rail x1



Post & Rail x2



Post & Rail x3



Post & Rail x4

True Blue Fencing System - White


Post & Rail System price per metre based on multiples of 4.8m excluding end post.

- Available in **white only**
- Rail Profile 140mm x 40mm - 4.8m length
- Post 2m length 127mm x 127mm (1.4m above ground)
- First rail starts 50mm below post
- Custom post length and rail spacing available on request
- 140 x 40 Rail is True Blue

Timberline Fencing System - White & Colour

Post & Rail System price per metre based on multiples of 4.8m excluding end post.

- Available in white and colour
- Rail Profile 150mm x 50mm - 4.8m length
- Post 2m length 127mm x 127mm (1.4m above ground)
- First rail starts 50mm below post
- Custom post length and rail spacing available on request
- 150 x 50 Rail is Timberline




Crossbuck Style shown

Timberline Crossbuck

Post & Rail System price per metre based on multiples of 4.8m excluding end post.

Post & Rail System per metre price includes Posts, Rails and Caps.

- Top and Bottom Rail: 4.8m length
- Mid Rails: 2.6m length
- First rail starts 50mm below post
- Custom post length, colours and rail spacing available on request



Mesh Style shown

Timberline Mesh Panel

Post & Rail System price per metre based on multiples of 4.8m excluding end post.

Post & Rail System per metre price includes Posts, Rails and Caps.

- Top and Bottom Rail: 4.8m length
- Post 2m length 127mm x 127mm (1.4m above ground).
- First rail starts 50mm below post
- 4mm Steel Weld Mesh 100mm x 50mm Aperture Powder Coated
- Custom post length, colours and rail spacing available on request

Gates

- Picket
- Bellbrae
- Mystique
- Post & Rail

73

PVC Gates

Made easy.

Custom designed and engineered. Ready to install gates.

Our PVC gates are made using the same materials as your fence. You can choose from a range of colours & styles that either match or can be designed to stand-out creating a feature.

All gates are made using concealed metal components for strength. Gates wider than 1.0m have diagonal cross braces added so your gates stay square.







Our dedicated fabrication team can help you design the perfect gate for your fence.

Whether a wide opening is required, space is limited inside the fence line or swinging gates aren't suitable, sliding gates are a stylish option. Our Sliding gates are made from the same extruded profiles used in your new Think Fencing PVC fence.

Strength and integrity is taken care of using the latest engineering software to build custom sliding gates. The fabrication technicians install steel and concealed components inside the gates providing a gate that not only looks great, is designed to last.

Sliding gates are sold as a system, coming with pre installed wheels and all the accessories required. Note: automation kits are available as an optional extra.

Gates to suit your style



Gate Colour Range



Standard Gate Options

Width	Height
Single Gates	900mm
900mm	1200mm
1200mm	1400mm
1500mm	1600mm
2350mm	1800mm
Double Gates	Custom widths and heights available
2400mm (2 x 1200mm)	
3000mm (2 x 1500mm)	
4000mm (2 x 2000mm)	
4700mm (2 x 2350mm)	
Sliding Gates	
3.0m - 6.5m	


Gate Features






- Please Note:**
- Constructed using steel components.
 - Adjustable hinges and latch included.
 - Custom gate designs can be created at an additional cost.
 - Automatic systems available for selected styles.


Single Gates




Jabiru Single Gate



2x Rail Single Gate



Mystique Fence with Lattice Single Gate



Bellbrae Single Gate

Up to 1.4m high:

- Each gate includes hinges and a single-sided latch from D&D Technologies.

1.4m high and above:

- Each gate includes hinges and a double-sided latch from D&D Technologies.


1.5m or above in width:

- Comes with an additional hinge for extra stability.


Options and extras:

- Hinges and Latches available in Black or White.
- Double Side, Handle & Top Pull Latches and Drop Bolts available on request.
- Automatic opening systems available on request for selected styles.

Double Gates



Jabiru Double Gate



4x Rail Double Gate

Up to 1.4m high:

- Each gate includes hinges, a single-sided latch and 2 x drop bolts from D&D Technologies.

1.4m high and above:

- Each gate includes hinges a double-sided latch and 2 x drop bolts from D&D Technologies.


3.0m or above in width:

- Comes with an additional hinge for extra stability.
(one extra hinge per gate)


Options and extras:

- Hinges and Latches available in Black or White.
- Double Side, Handle & Top Pull Latches available on request.
- Automatic opening systems available on request for selected styles.

Sliding Gates



Sliding Gate Crossbuck



Sliding Gate Bellbrae

Opening up to 3.0m:

- An opening up to and including 3.0m requires an additional 500mm extra on the gate (e.g. a 3.0m opening requires a 3.5m gate).
- Each sliding gate includes Tracking, Wheels (pre-installed), 1x Bridge Roller Guide and 2x Blank Post with attached End Stops.

Opening over 3.0m:

- Any opening over 3.0m requires an additional 800mm (e.g. a 5.0m opening requires a 5.8m gate)
- Each sliding gate includes Tracking, Wheels (pre-installed), 2x Bridge Roller Guide and 2x Blank Post with attached End Stops.

Options and extras:

- Sliding Gates will come with a Drop Bolt if manually operated, or an Aluminium Rail to attach racking to if Automated (racking not supplied).
- Automatic opening system available on request.

Horse Fencing

- Zappa Rail
- Equirail
- Longranger Post



Zappa Rail

Horse Safe Fencing.

Zappa Rail horse fencing is an innovative horse safe fencing solution featuring three high tensile wires built into the profile of a flat rail. The top wire can be easily electrified using a standard electric fence energiser.

Zappa Rail is an electrified flexible fence rail that is tensioned up along your fence to provide safety and security to horses.


Our team has been working tirelessly over the pandemic to further develop and refine our Zappa Rail system, we have designed an entirely new straining system, bracketry system and Manufacture Zappa Rail out of a novel polymer made by Qenos in Australia to ISO9001. We have also incorporated 3 x 2mm high tensile wires into the profile.

No other company in the world can boast this!


Think Fencing has also been working with the CSIRO to develop a system whereby we can take waste PVC that was destined to landfill and create a super strong rural fencing post perfect for attaching Zappa Rail to. We call this the Longranger.

- Think Clever:**
- Long, long, lasting.
 - UV stabilised polymers enhance durability.
 - Never needs painting.
 - Great strength – 2000kg breaking strain.
 - Easy installation.
 - 115mm wide.
 - Easy to electrify.
 - Lengths made to order.
 - No extra insulators needed.
 - Safe Horse Fencing.
 - 100% Australian made.


Zappa Rail to suit your style




Zappa Rail x1



Zappa Rail x2




Zappa Rail x3



Zappa Rail x4

Zappa Rail Colour Range



Night Mist

White

Standard Sizing

Width
115mm
Roll Length
100m
Any length up to 200m can be custom made.

Zappa Rail Features

DIY Installation

Eco Friendly

Australian Made

Limited Lifetime Warranty

UV Resistant

Electrifiable








Zappa Rail

Product Lists.



Now available at:
hellofencing.com.au

Available in Black or White.

	Description
	Zappa Rail (115mm) 100m Roll - Includes extra to thread through Line Strainer and End Brackets
	Zappa Rail Top Brackets - 25 Pack - Includes screws.
	Zappa Rail Side Brackets - 25 Pack - Includes screws.
	Zappa Rail Corner Bracket - Includes screws.
	Zappa Rail Insulated End Bracket System: - Includes nut and bolt.
	Zappa Line Strainer
	Zappa Joining Buckle



Equirail

Horse Safe Fencing.


Equirail horse fencing is a handsome, cost effective horse safe fencing solution. It's visible and flexible making it super safe for horses. It can be easily attached to existing timber or steel posts or be used on our range of PVC posts.

Equirail has been designed as a simple alternative to often over complex horse fencing systems. It's ideally suited for use with Zappa Rail, or any new or existing horse fencing system. It's attached to your posts using a simple one piece bracket and is tensioned using an Equi-tensioner. The Equirail slides into the Equi-tensioner and is cranked up by hand to the desired tension. In contrast it's just like its bigger brother Zappa Rail, it's easy to install, highly visible and never needs painting. As a result its perfect for adding life to an old fence or to create a cost effective new Horse Fence.


Equirail Horse Fencing
Made from such advanced polymers it's tough enough to handle the most demanding conditions. Therefore wire enforcement is not needed, making it a very safe horse fencing rail. As a result it can be adapted for semi permanent solutions making it one of the most versatile horse fencing rails. This is the smaller, non electric version of the Zappa Rail, yet it still has a heavy duty breaking strain of 800 kilograms. It's easy to install, highly visible and never needs painting. And because we make it here in Australia we can customise rail length to suit your needs – so there's no unsightly joins.

- Equirail Features:**
- Long, long lasting.
 - Never needs painting.
 - Simple, fast, easy installation.
 - 800kg breaking strain.
 - 45mm wide.
 - Custom lengths made to order.
 - Horse safe fencing.
 - 100% Australian Made.


Equirail Fencing to suit your style




Equirail x1



Equirail x2



Equirail x3



Equirail x4

Equirail Colour Range



Night Mist



White

Standard Sizing

Width	Roll Length
45mm	100m

Any length up to 200m can be custom made.

Equirail Features



DIY
Installation



Eco
Friendly



Australian
Made



Limited Lifetime
Warranty



UV
Resistant

Equirail

Product list.



Now available at:
hellofencing.com.au

Available in Black or White.

	Description
	Equirail (45mm) per metre (maximum roll length 200m)
	Equirail Brackets - 25 Pack - Includes screws.
	Equitensioner - Includes 6 screws.
	Equirail Starter Kit - 25 Equirail Brackets including screws - 1 Equitensioner including screws



Longranger Post

Sustainable Composite Post.

Think Fencing has developed the Longranger PVC post with one goal. To create a Sustainable, Long lasting composite post that can be driven into the ground for Equine fencing.

Measuring 100x100mm with a 10mm Wall thickness, the post is square giving a more traditional clean look. Bowing or twisting is a thing of the past thanks to our colouring technology designed to keep our dark coloured posts cool in the harsh sun minimising the “Sunflower” effect often seen in other composite posts.

We have been working with the CSIRO to develop an analyser that enables us to categorise a wide range of Recycled PVC feedstock and scientifically incorporate specific additives into the material enabling us to make a sustainable drivable post.

Longranger Features:

- Long, long lasting.
- Heavy Duty.
- Thick walled.
- Driven into the ground.
- Recycled material.
- Custom lengths made to order.
- Horse safe fencing.
- 100% Australian Made.

Installation:

- Auger a 5” hole to slightly (25-50mm) under the final depth.
- We recommend using a Hydraulic percussion/Vibration post driver to drive the post in with gentle downward pressure.
- If using a conventional post knocker into hard ground lift the dolly high enough to knock the post in at 25mm intervals.
- In either case, if driving into hard soil, insert a steel 80mm SHS tube into the post with a metal end cap to prevent the dolly from damaging the end of the post.
- If using a conventional post knocker into soft ground the weight of the dolly will be sufficient to drive the post to the bottom of the hole.
- Once driven into the ground an end cap is secured to the top of the post, this allows the Zappa Rail top bracket to be fixed securely.

There is significantly less ground contact area on a hollow Longranger post compared to a timber post, meaning you need to make sure the post is driven into hard ground by at least 25mm. This is to prevent the post from dropping or sinking over time.

Longranger Features

DIY Installation

Eco Friendly

Australian Made

Limited Lifetime Warranty

UV Resistant

Heavy Duty

Longranger Heavy Duty Fence Post



Longranger Colour Range



Standard Sizing

Dimensions
100x100mm
Height
2000mm
Wall Thickness
10mm



thinkfencing
The thoroughbred of fences

Head Office:

2415 Geelong/Portarlington Road,
Portarlington, 3223 Victoria Australia

P. +613 5259 2555

E. sales@thinkfencing.com.au

www.thinkfencing.com.au